


Wood stringer beyond



GENERAL NOTES:

1. THIS GUARDRAIL SYSTEM IS IN COMPLIANCE WITH THE 2014 AND 2017 INTERNATIONAL BUILDING CODE (IBC) SECTION 1607.8. IT IS ALSO IN ACCORDANCE WITH 2015 IBC SECTION 2407 THAT REQUIRES ALL-GLASS HANDRAILS AND GUARDS BE "LAMINATED GLASS CONSTRUCTED OF FULLY TEMPERED OR HEAT-TREATED GLASS".
2. CONNECTION TO DECK SHOWN (4) 3/8" LAG BOLTS THROUGH DECK TO (3) 2X10 BOARDS, MEETS IBC DECK REQUIREMENTS FOR A 200 POUND POINT LOAD OR 500 POUND LINE LOAD AT ANY PLACE ON PANEL. LOADING TO BE EITHER VERTICAL OR HORIZONTAL BUT NOT SIMULTANEOUS.
2. WHEN THREE SPIGOTS ARE USED, THIS PRODUCT COMPLIES WITH THE REQUIREMENTS FOR HIGH VELOCITY HURRICANE ZONES (HVHZ).
3. SPIGOTS TO BE 316 STAINLESS STEEL.
4. CONNECTION TO BUILDING VARY BY PROJECT, TO BE DESIGNED BY PROJECT ENGINEER. CONNECTION TO WOOD STAIR STRINGER IS DESIGNED AND SHOWN HEREIN.
5. THE ABILITY OF THE EXISTING HOST STRUCTURE TO SAFELY SUPPORT THE LODS SHALL BE DETERMINED BY THE PROJECT ENGINEER.
6. MECHANICAL FASTENERS, AS SHOWN.

Part Number	CVGR 316 SSOD48-180 Satin Finish
Product Name	Round Deck Mount Spigot
Spigot Size	1.9" diameter x 7.1" tall
Spigot Weight	5.5 pounds
Glass Thickness/ Dimensions/Weight (per panel)	13.5 mm/60" wide x 39.37" tall/ 98.5 pounds
Accessories Included	Base Cover, Rubber Gasket

Chris Hartnett &
Associates Preservation
Engineers
521 S. 9th St. #2
Minneapolis, MN 55404

Revisions

date

#

Project #

Scale

Project: CLEAR VIEW GLASS
RAILING
737 QUENTIN AVE S.
LAKELAND, MN 55403
Address:

I hereby certify that this drawing was prepared by me or under my direct supervision and that I am a duly Licensed Professional Engineer under the laws of the state of Minnesota.
Chris Hartnett
License # 42371